HONDA TSUSHIN KOGYO CO., LTD.			Sheet	1 of 5		
Tokyo Japan			Date		Jun 30. 2004	
Product Specification			Approved by	- (	Checked by	Written by
<u>-</u>			1d. Ebihara		Muko	
( 2mm Spacing Board Connector )				1/0	1. Kul	T.Oda
Conn	Connector part number					
Connector type			Part number		Note	
Male connector		LPC - ( ) MG,M2G		Straight DIP type connector		
Female connector		i	LPC - ( ) FDSG,FDG		Straight DIP type connector	
Chan	acteristics					<del></del>
No.	Item	Specification				
1	Current Rating	1 amp AC maximum per contact				
2	Voltage Rating	125 volts AC (r.m.s.)				
3	Operating Temperature	-25 ℃ to 85 ℃				
4	Humidity	90%RH maximum				
	Insulation Resistance	When tested in accordance with method B of MIL-STD-202F 302,				
5		the insulation resistance shall be a minimum of 1000 $M\Omega$				
		at 500 volts DC.				
e e	Dielectric	When tested in accordance with MIL-STD-202F 301,				
6	Withstanding Voltage	there shall be no breakdown of insulation or flashover at 500 volts AC (r.m.s.) for a minute.				
	Contact Resistance	When tested in accordance with JIS C 5402 5.4,				
7		contact resistance shall not exceed following values including				
		the conductor resistance.				
		Initial 120 mQ				
		Initial : $20 \text{ m}\Omega$ After test : $30 \text{ m}\Omega$				
		WIGH 66	ot . Ou HILZ			
			· · ·	_		

No.	Item	Specification	
8	Female Contact Insertion and Pulling Force (Individual)	When tested in accordance with JIS C5402 6.4,  female contact insertion force and pulling force shall satisfy followings.  o Insertion Force  The force required to insert the test gauge into any contact shall not exceed following values.  1.96 N per contact  o Pulling Force  The force required to pull the test gauge from any contact shall not be less than following values.  0.196 N per contact  \[ \textstyle{\textstyle{1}} \textstyle{\textstyle{1}} \textstyle{\textstyle{1}} \textstyle{1}	
9	Connector Insertion and Withdrawal Force (Overall)	When tested in accordance with JIS C5402 6.6, connector insertion force and withdrawal force shall satisfy followings.  Insertion Force The force required to insert a connector into the mating one shall not exceed 1.96 × (n) N.  Withdrawal Force The force required to withdraw a connector from the mating one shall not be less than 0.196 × (n) N.  "" n" shows number of contact	
10	Vibration	When tested in accordance with method A of MIL-STD-202F 204D, there shall be no physical or mechanical damage to the connector. During vibration, there shall be no discontinuity of the test circuit greater than 10 microsecond. (100 mA DC of current applied for the circuit.) After the test, there shall be no breakdown of insulation or flashover at 500 volts AC(r.m.s.) for a minute.  Frequency range: 10 Hz to 500 Hz at 98 m/s² Test direction: 3 axes(X, Y and Z) Test time: 2 hours for each axis	

No.	Item	Specification	
11	Physical Shock	When tested in accordance with method A of MIL-STD-202F 213B, there shall be no physical or mechanical damage to the connector. During the test, there shall be no discontinuity of the test circuit greater than 10 microsecond. (100 mA DC of current applied for the circuit.) After the test, there shall be no breakdown of insulation or flashover at 500 volts AC(r.m.s.) for a minute.  Acceleration: 490 m/s² peak Test direction: 6 axes(±X, ±Y and ±Z) Test cycles: 3 cycles for each axis (Total 18 cycles)	
12	Durability	When tested in accordance with JIS C5402 6.3, there shall be no physical or mechanical damage to the connector. After test, contact resistance shall satisfy values as stated in item #8, female contact insertion and pulling force shall satisfy values as stated in item #9 and connector insertion force and withdrawal force shall satisfy values as stated in item #10.  Test cycles: 50 cycles	
13	Thermal Shock	When tested in accordance with JIS C5402 7.2, there shall be no physical or mechanical damage to the connector. After test, there shall be no breakdown of insulation or flashover at 500 volts AC (r.m.s.) for a minute.  Test cycles: 5 cycles +85°C +25°C    -55°C    -55°C	

No.	Item	Specification
14	Humidity	When tested in accordance with method B of MIL-STD-202F 103B, there shall be no physical or mechanical damage to the connector. After the test, the insulation resistance shall be no less than 1000 M $\Omega$ , there shall be no breakdown of insulation or flashover at 500 volts AC (r.m.s.) for a minute and contact resistance shall satisfy values as stated in item #8. Humidity: 90 $\sim$ 95 % Temperature: + 40 °C Test time: 96 hours
15	When tested in accordance with method B of MIL-STD-202F 101D, there shall be no any excessive corrosion on the every part of connector.  After test, contact resistance shall satisfy values as stated in item #8.  Salt Spray  Salt spray concentration: 5±1 %  Temperature: + 35 °C  Test time: 48 hours	
16	H₂S Gas	When tested in accordance with JIS C 0092, there shall be no any excessive corrosion on the every part of connector.  After test, contact resistance shall satisfy values as stated in item #8.  H₂S gas concentration: 3 ppm  Temperature: + 40±2 ℃  Test Time: 96 hours

No.	Item	Specification
17	High Temperature Life	When tested in accordance with method A of MIL-STD-202F 108A, there shall be no physical or mechanical damage to the connector.  After test, contact resistance shall satisfy values as stated in item #8.  Female contact insertion and pulling force shall satisfy values as stated in item #9.
		Temperature: +85 °C Test Time: 96 hours
18	Temperature Rise	When 1A DC is passed through each contact of connector, the change in temperature of connectors before and after test shall not exceed 30 °C.
19	Solderability	When tested in accordance with MIL-STD-202F 208E, a new uniform coating of solder shall cover a minimum of 95% of the surface being immersed.
		Solder Temperature: 245±5 °C Immersion Time: 5 seconds
20	Solder Heat	When tested in accordance with method A of MIL-STD-202F 210A, there shall be no physical or mechanical damage to the connector.  Solder bath temperature: 260±5 ℃
		Immersion Time:10±2 seconds
21	Solvent Resistance	When tested in accordance with MIL-STD-202F 215E, the connector shall be capable of being cleaned by isopropyl alcohol.  After test, there shall be no evidence of swelling, cracking, dissolving or any other defect.
22	Contact Retention	When a force of 4.9 N is applied to any contact in direction along the axis of retention, there shall be no damage or loosing of the contact.