Search Method


Search by Product Type	…P2
Search by Product/Application	P3
Search by Product Series	P4
Filter Search	···P5

Search Method_Search by Product Type

(1) Select the connector type you are looking

for by pressing the [Search by Product Type] button on the menu or header.

 \ast The display method may differ, but the search results do not change.



(2) The series applicable to the selected type is displayed. Press the series you wish to view. A series overview page and filter search page opens.



ies .	Image	Overview	Pin Count	Connection Method	Method	Pitch	Current Rating
- <i>X</i>	11	tion	14,28,50	Harizontal Con rectors.Versia I Convection.58 acking Convect Ist	DEGMT.	Laren."	E.SA/Ref
54	- Inst	0.8 mm Plich Interface Conn clock	38.48,555.13 6.200	Harlasetal Con rection,Vertica I Connection,St acking Connect spi	DIRIGHT	2.4mm	0.34/99
	365	Optical Connectors		Harizontal Con		Others	

O A series overview page opens in a new window by clicking the "Series".



Filter Search				
Recommended Produ	et Information			l.
And the second s	Introduction of 1000 we way 7000 Introduction of 1000 we way 7000 Inter averaged and device preserve the averaged 254 spaces a theory of	A state of the sta	Wheelsterner	era te era te era data series constructions de terminate series constructions constructions constructions de terminate series constructions de
Fliter Search	A hole (Act hole) (a) and an architecture		Gal Tanan Canada Irina	Sever Since & City Trans
Sides I Servery 1976	······································	ad rame		0)
Geer al Salectione				v arangewat
Patelari Type	Product Debrigance	Contact Shops	Gene	tor Shaps
In Derivities	- beet many	I	- 10mm	
I maderial a comercia	T sale convers	- week		80
Post 1. Post 5. 19	Ro - Sectadore			
inite Consector	🚍 Inter Conserva			
Witing switted	Houring Kethed	Rects	38m (*m.	
□ #c	Ξ 66	=		
11 Secure		Localet	12- 89	
C tease-ra		i uter	C 12-39	
	1	The Street	2.12-38	
No. of 1 According Accident 1 Accident Accord 1 According	< 🖬 >		lanut os / Ficilium	
× .	PIECES SLOPE FOR BARETON PA DE	Narra	Francis Stoff a	Distant Constant Instant Section Instant of
same	eger ethodese	10.71 %	Car (FBM* s Networks FF	THE REAL PROFESSION

Search Method_Search by Product/Application

 Select the product/application you are looking for by pressing the [Search by Product/Application] button on the menu or header.



(2) By selecting an item from the selected application, the relevant series is displayed. A series overview page and filter search page opens by clicking the "Series" button you wish to see.




Series	Image	Overview	Pin Count	Connection Method	Mounting Method	Pitch	Current Rating
TAK	Wala Kan	Compact High-Speed Transmission C onnect ins	4,6,8	Horizontal Con nection,Vertica I Connection	DIP	2.0mm	TAK-V:2.5 · T/ K-A:1A/Pin
TAT	1	Compa t High-Speed Transmission C onnect rs (Waterproof Type)	4	Horizontal Con nection		2.0mm	2.5A/Pin

O A series overview page

clicking the "Series" .

opens in a new window by

<section-header><section-header><section-header>




The original page changes to a Filter Search page.

Search Method_Search by Product Series

(1) A list of Series display by pressing the [Search by Product Series] button on the menu or header.

the second	Us Wy Page							
Applications for membership are now being accepted	Search	by Produc	t Series					
1.Function of My page 2.Available for viewing Favorites and	Downloads Hist	Image	Overview	Pin Count	Connection Method	Mounting Method	Pitch	Current Rating
A di documents are available for d	a concernance and a second	00	SD Memory Card Sockets			CORISIMIT	Others	0.5A/Pin
	RICZ	1	Pin Header Internal Wiring Connector s	2~44	Vertical Conne ction, Stacking Connection	D\$P	2.54mm	LA/Pin
	211		Pin Header Internal Wiring Connector S	1~128	vertical Conne ction.Stacking Connection	DIP	2.54mm	3A/Pin


② A series overview page and filter search page opens by clicking the "Series" button you wish to see.



The original page changes to a Filter Search page.

◆Search Method_Filter Search

(1) Press the [Specify Conditions and Search] button on the menu or header.



(2) A Filter Search page is displayed, allowing search conditions to be set. By pressing the [Search] button, the relevant products are displayed at the bottom of the search box.

lecommended Product I	information		
The second secon	Let 3 total An a constant of total series, 787 Be a constant of total series, 787 Be a constant of total series control be a constant of the space by controls total of the series	Pierce Terrary States S	Introducing of AXA seriesfLRT A societ for SO momory cards used sorticus moments and applications from
Specify series r	ame Sea	rch by Product No.,	Product name
elect Series TAK	Product No./Produ	ci name	•)
Clear all Selections			🥪 Bern Deng Chic
Product Type	Product Categorya	Contact Shape	Connector Shape
1/0 Corrottais	Board Connactors.	mata .	Roteande
deard-to-Cable Convectors	Cable Connectors	Terzta	Strenght
] deard-ac-board connectors		neck box	
] Inime Connectors	Sime Correctors		
Wiring method	Mounting Method	Pitch	Pin Count
] 100	era 🗌	Lozner	1~1
Crivelia Sodotra	() sa	1.02mm	20~25
1 months		- 20mm	7 20-28
	Search		roduct
Rogistor In Product Image	Sorica name		
Rogistor In Bundant Tanana	Sortes name Tit Sur-of 1903-86- Band Connectors Rule Silv	Pie Countri Ourteur Redirpit JovPin Filo anno Frenans 874 Elvitriz Birten	Englity of Parchate Historicality Actualities

(3)A series overview page opens in a new window by clicking the "Series".

