


PART NO.	A	B	C	D	E
PCR-S20PMLA2+S	33.4	28.4	42.0	10.4	—
PCR-S28PMLA2+S	38.5	33.5	43.0	14.5	16.5
PCR-S36PMLA2+S	43.6	38.6	43.0	16.0	18.0
PCR-S50PMLA2+S	52.5	47.5	45.0	17.0	19.0

掲載している商品の特性及び仕様は参考値です。特性及び仕様については、予告なく変更する場合があります。採用のご検討やご注文の際は弊社担当窓口までお問い合わせのうえ、納入仕様書の取り交わしをお願いします。

The product information in this data is for reference only. This is subject to change without notice. Contact our sales staff for further information before considering or ordering any of our products. Please request Engineering Drawing for the most current and accurate design information.

E (SEE NOTE#1)



NOTE1. COVER A AND B (ITEM#1 AND 2) FOR 28, 36 AND 50 POS. CONNECTORS HAVE A PROTRUSION.

7	EARTH METAL	COPPER ALLOY	1	Sn PLATING	—
6	ØPAN HEAD SCREW	STEEL	2	Ni PLATING	M2X8
5	CABLE CLAMP	STEEL	2	Ni PLATING	—
4	HEX. NUT	STEEL	2	Ni PLATING	M2.6
3	ØPAN HEAD SCREW	STEEL	2	Ni PLATING	M2.6X10
2	COVER B	ABS	1	—	UL94V-0, GRAY
1	COVER A	ABS	1	—	UL94V-0, GRAY

LTR.	DATE	BY	REV.	DESCRIPT	No.	PART NAME	MATERIAL	QTY	FINISH	NOTE
△3										
△2										
△1										
DATE		SCALE		UNIT		3RD. A. P		HONDA TSUSHIN KOGYO CO., LTD.		
Jun 28 (2004)		2/1		mm (INCH)						
APP. DATE&REV.										
DR.	DE.	CHK.	CHK.	APP.	NAME		PCR-E () PMRS TYPE PLASTIC COVER FOR CABLE EXTENSION (RoHS)			
T. KAWANO	T. KAWANO	T. SOGO	K. HOMMA	S. FURUSAWA	PART NO.		PCR-S () PMLA2+S		REV.	